



OPS INGERSOLL EAGLE V9 SPECIFICATION SHEET

BENEFITS

Travel in X / Y / Z: 800 / 600 / 500 mm

Table dimensions: 1,000 x 600 mm

Maximum dynamics thanks to the double gantry drive

Integrated tool changer with up to 88 places

HEIDENHAIN control iTNC 530 HSCI

TECHNICAL INFORMATION

Technical Data	High Speed Eagle V9 Machining Centre
Distance HSK holder / table	min. 70 / max. 570 mm
Payload T-slot table	up to 2,000 kg
High-frequency spindle selection	HSK E40 / HSK E50 / HSK A63
Spindle power	15 kW / 17 kW / 22 kW
Tool changer (depending on spindle selection)	88 / 72 / 48-fold
Overall dimensions W x D x H	2,177 x 3,064 x 2,850 mm





Making Engineers Champions...

+44 (0)1926 818 418



engtechgroup.com



sales@engtechgroup.com



THE ENGINEERING TECHNOLOGY GROUP

Wellesbourne Distribution Park, Unit 16
Loxley Road, Wellesbourne, Warwickshire, CV35 9JY

+353 (0)45 435457



etgireland.ie



salesireland@engtechgroup.com



THE ENGINEERING TECHNOLOGY GROUP - IRELAND

Unit 17, Newbridge Industrial Estate
Athgarvan Rd, Newbridge, Co. Kildare, Ireland

+44 (0)24 7699 3153



hyfore.com



sales@hyfore.com



HYFORE WORKHOLDING

Unit 3, 67 Blackhorse Road,
Longford, Coventry, CV6 6DP